CLAIMS:

What is claimed is:

- 1 1. A method for presenting a step of a task, wherein
- 2 the task includes a series of steps to be performed, the
- 3 method comprising:
- 4 identifying a current step within the series of
- 5 steps;
- 6 retrieving a step component for the current step;
- 7 and
- 8 presenting the current step inline within the series
- 9 of steps such that the step component is presented in
- 10 context within the series of steps.
- 1 2. The method of claim 1, wherein identifying a current
- 2 step within the series of steps includes receiving a
- 3 request from a client.
- 1 3. The method of claim 2, wherein the request from the
- 2 client identifies a user selection of the current step
- 3 within the series of steps.
- 1 4. The method of claim 2, wherein the request is a
- 2 HyperText Transfer Protocol request.
- 1 5. The method of claim 2, wherein presenting the
- 2 current step inline within the series of steps includes
- 3 generating a response page using a Java Server Page.

- 1 6. The method of claim 5, wherein retrieving a step
- 2 component for the current step includes retrieving the
- 3 step component using a Tiles framework.
- 1 7. The method of claim 5, wherein generating a response
- 2 page includes building the response page using a Struts
- 3 framework.
- 1 8. The method of claim 5, wherein the response page
- 2 includes a navigation tile, wherein the navigation tile
- 3 presents a plurality of tasks.
- 1 9. The method of claim 8, further comprising:
- 2 identifying a current task within the plurality of
- 3 tasks;
- 4 retrieving a task tile for the current task; and
- 5 presenting the task tile as a series of steps.
- 1 10. The method of claim 5, wherein presenting the
- 2 current step inline within the series of steps further
- 3 includes sending the response page to the client.
- 1 11. An apparatus for presenting a step of a task,
- 2 wherein the task includes a series of steps to be
- 3 performed, the apparatus comprising:
- 4 means for identifying a current step within the
- 5 series of steps;
- 6 means for retrieving a step component for the
- 7 current step; and

- 8 means for presenting the current step inline within
- 9 the series of steps such that the step component is
- 10 presented in context within the series of steps.
- 1 12. The apparatus of claim 11, wherein the means for
- 2 identifying a current step within the series of steps
- 3 includes means for receiving a request from a client.
- 1 13. The apparatus of claim 12, wherein the request from
- 2 the client identifies a user selection of the current
- 3 step within the series of steps.
- 1 14. The apparatus of claim 12, wherein the request is a
- 2 HyperText Transfer Protocol request.
- 1 15. The apparatus of claim 12, wherein the means for
- 2 presenting the current step inline within the series of
- 3 steps includes means for generating a response page using
- 4 a Java Server Page.
- 1 16. The apparatus of claim 15, wherein the means for
- 2 retrieving a step component for the current step includes
- 3 means for retrieving the step component using a Tiles
- 4 framework.
- 1 17. The apparatus of claim 15, wherein the means for
- 2 generating a response page includes means for building
- 3 the response page using a Struts framework.

- 1 18. The apparatus of claim 15, wherein the response page
- 2 includes a navigation tile, wherein the navigation tile
- 3 presents a plurality of tasks.
- 1 19. The apparatus of claim 18, further comprising:
- 2 means for identifying a current task within the
- 3 plurality of tasks;
- 4 means for retrieving a task tile for the current
- 5 task; and
- 6 means for presenting the task tile as a series of
- 7 steps.
- 1 20. The apparatus of claim 15, wherein the means for
- 2 presenting the current step inline within the series of
- 3 steps further includes means for sending the response
- 4 page to the client.
- 1 21. A server for presenting a step of a task, wherein
- 2 the task includes a series of steps to be performed, the
- 3 method comprising:
- a controller, wherein the controller receives a
- 5 request from a client, wherein the request identifies a
- 6 current step within the series of steps, and wherein the
- 7 controller retrieves a step component for the current
- 8 step; and
- 9 a Java Server Page, wherein the Java Server Page
- 10 builds a response page and wherein the response page
- 11 presents the current step inline within the series of
- 12 steps such that the step component is presented in
- 13 context within the series of steps.

- 1 22. The server of claim 21, wherein the controller and
- 2 the Java Server Page use a Struts framework.
- 1 23. The server of claim 21, wherein the controller and
- 2 the Java Server Page use a Tiles framework.
- 1 24. A computer program product, in a computer readable
- 2 medium, for presenting a step of a task, wherein the task
- 3 includes a series of steps to be performed, the computer
- 4 program product comprising:
- 5 instructions for identifying a current step within
- 6 the series of steps;
- 7 instructions for retrieving a step component for the
- 8 current step; and
- 9 instructions for presenting the current step inline
- 10 within the series of steps such that the step component
- 11 is presented in context within the series of steps.